UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/586,702	07/20/2006	Lukasz Marek Szostek	US040047US 8208	
	7590 05/24/201 LLECTUAL PROPER	EXAMINER		
P.O. BOX 3001		BERHANE, YOSIEF H		
BRIARCLIFF MANOR, NY 10510			ART UNIT	PAPER NUMBER
			2467	
			MAIL DATE	DELIVERY MODE
			05/24/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Applicatio	Dilication No. Applicant(s)				
		10/586,70	2	SZOSTEK ET AL.			
		Examiner		Art Unit			
		YOSIEF BI	ERHANE	2467			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHC WHICH - Extens after S - If NO   - Failure Any re	DRTENED STATUTORY PERIOD FOR HEVER IS LONGER, FROM THE MAILI sions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communical period for reply is specified above, the maximum statutor be to reply within the set or extended period for reply will, by the ply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	NG DATE OF TH CFR 1.136(a). In no eve tion. period will apply and will y statute, cause the appli	IS COMMUNICATION  nt, however, may a reply be tim  expire SIX (6) MONTHS from cation to become ABANDONEI	I. ely filed the mailing date of this co O (35 U.S.C. § 133).			
Status							
2a)□ 3	Responsive to communication(s) filed or This action is <b>FINAL</b> . 2b) Since this application is in condition for a closed in accordance with the practice u	☐ This action is no allowance except	for formal matters, pro		merits is		
Disposition of Claims							
5)□ ( 6)⊠ ( 7)□ (	Claim(s) <u>1-24</u> is/are pending in the appli la) Of the above claim(s) is/are w Claim(s) is/are allowed. Claim(s) <u>1-24</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction on Papers	ithdrawn from cor					
	·						
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>							
Priority u	nder 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
2) Notice 3) Inform	(s) of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-9ation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date 07/20/2006.	948)	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te			

Application/Control Number: 10/586,702 Page 2

Art Unit: 2467

## **DETAILED ACTION**

1. **Claims 1-24** have been examined and are pending.

## Information Disclosure Statement

- 2. An initialed and dated copy of Applicant's IDS form 1449 submitted **07/20/2006** is attached to the instant office action.
- 3. Claim Rejections 35 USC § 102
- 4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
- 5. A person shall be entitled to a patent unless –
- 6. (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 7. Claims **1-20 and 22-24** are rejected under 35 U.S.C. 102(e) as being anticipated by Publication **2008/0279178** to Chou et al. (hereinafter Chou).

Art Unit: 2467

8. **As per claim 1, 16-17 and 24**. Chou teaches a method for remotely controlled gateway management, the method comprising the steps of: receiving a request for content (Paragraph 0023, Chou discloses a Voice connector receives a call set-up request. Also see paragraph 0071 where Chou discloses a database used to translate addresses within a module coupled to the connector),

- the request comprising global addressing information of a gateway (Paragraph 0062,
   Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address)
- 10. and corresponding to one or more network appliances on a local network accessible via the gateway (Paragraph 0023, Chou discloses that the set-up request is transmitted from a source gateway);
- 11. determining gateway configuration information suitable for configuring the gateway (Paragraph 0062, Chou discloses that the voice connector creates a virtual connection between the two network gateways by assigning a port or ports on which this VoIP communication will occur.)
- 12. to pass one or more content streams, each comprising portions of the content, to the one or more network appliances (Paragraph 0062, the port and socket assignment are used for transmitting voice packets between the first and second gateways);
- and communicating the gateway configuration information with the gateway (Paragraph 0062, once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways)

Art Unit: 2467

14. **As per claim 2**. Chou teaches wherein the step of communicating further comprises the step of communicating the gateway configuration information with the gateway (Paragraph 0062, Once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways)

- 15. through a secure connection to the gateway (Paragraph 0063, Chou discloses VoIP connection may also comprise networking devices that may adjust the connection configuration and port number assignments within the connection. For example, firewalls or other network servers having corresponding addresses and port numbers may be included to enhance security).
- 16. **As per claim 3**. Chou teaches wherein the steps of determining gateway configuration information further comprises the step of determining one or more local addresses of the one or more network appliances (Paragraph 0062, Chou discloses that once this address translation occurs, the voice connector creates a virtual connection between the two network gateways by assigning a port or ports on which this VoIP communication will occur)
- 17. and determining a mapping from one or more gateway addresses associated with the gateway to the one or more local addresses (Paragraph 0062, Chou discloses that translation may occur by accessing a gatekeeper that is either public or operating within a private network and is masked from the requesting gateway),
- 18. wherein the gateway configuration information comprises the mapping (Chou discloses that once this address translation occurs, the voice connector creates a virtual connection between the two network gateways by assigning a port or ports on which this VoIP communication will occur. Once these ports are assigned, this information is transmitted to the voice switch 585 and to the network gateways).

Art Unit: 2467

19. **As per claim 4**. Chou teaches wherein the steps of determining gateway configuration information further comprises the step of determining one or more stream types for the one or more content streams, wherein the gateway configuration information comprises the one or more stream types (Paragraph 0055, Chou discloses that four-port configuration allows the voice router to identify the direction of the packet streams between the first network gateway and the second network gateway by the port on which a packet arrives, where the packets by either be RTP or RTCP).

- 20. **As per claim 5**. Chou teaches wherein the step of determining gateway configuration information further comprises the step of determining one or more global ports to open on the gateway (Paragraph 0023, Chou discloses port numbers are assigned to create the connection on which packets will travel, once this connection is established, the voice switch is able to switch or route packets between the two gateways),
- 21. wherein the gateway configuration information comprises the one or more global ports (Paragraph 0062, Once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).
- 22. **As per claim 6**. Chou teaches wherein the step of determining one or more global ports to open further comprises the step of determining one or more global ports to open on the gateway for the requested content (Paragraph 0023, Chou discloses the voice connector receives a call set-up request from a source gateway and translates, from that request, a destination network address to a terminating gateway, after which port numbers are assigned to create the connection on which packets will travel).

Art Unit: 2467

23. **As per claim 7**. Chou teaches wherein a given one of the one or more network appliances is associated with a plurality of ports (Paragraph 0055, Chou discloses that four-port

Page 6

first network gateway and the second network gateway by the port on which a packet arrives),

configuration allows the voice router to identify the direction of the packet streams between the

24. and wherein the step of determining one or more global ports to open on the gateway further comprises the step of determining a mapping from the one or more global ports to the plurality of ports for the given network appliance (Paragraph 0055, Chou discloses that four-port configuration allows the voice router to identify the direction of the packet streams between the first network gateway and the second network gateway by the port on which a packet arrives.

Also see paragraph 0056),

- 25. the gateway configuration information comprising the mapping(Paragraph 0062, Once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).
- 26. **As per claim 8**. Chou teaches wherein a first content requires more global ports than a second content (Fig. 7a, Chou discloses that packets originating from different types of networks are allocated a different range of ports).
- 27. **As per claim 9**. Chou teaches the request further comprises information corresponding to the one or more network appliances (Paragraph 0062, Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address);
- 28. and the step of determining gateway configuration information further comprises the step of comparing the information corresponding to the one or more network appliances with stored

information (Paragraph 0064, Chou discloses the extracted IP source address may be compared to an IP address of either the first network gateway or the second network gateway).

- 29. **As per claim 10**. Chou teaches wherein the information corresponding to the one or more network appliances comprises one or more network appliances identifications (Paragraph 0062, Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address).
- 30. **As per claim 11**. Chou teaches wherein the information corresponding to the one or more network appliances comprises one or more of the following: one or more addresses and one or more ports (Paragraph 0062, Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address).
- 31. **As per claim 12**. Chou teaches the information corresponding to the one or more network appliances comprises a unique identification for each of the one or more network appliances (Paragraph 0062, Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address);
- 32. the stored information comprises a plurality of unique identifications corresponding to a plurality of network appliances (Fig. 8a, box 595, 590, 598, Chou discloses that a voice connector maintains a network address translation table, network identification and port initialization);
- 33. the stored information further comprises a gateway type and a gateway communication information corresponding to one or more network appliances (Fig. 8b, voice switch maintains a network type identification. Also see fig. 7a and 7b);

Art Unit: 2467

34. and the step of determining gateway configuration information further comprises the step of when a match occurs between a unique identification in the information corresponding to the one or more network appliances and a given unique identification in the stored information (Paragraph 0082, Chou discloses that two IP addresses are compared to identify the smaller IP address and the larger IP address. The comparison provides an order in which the network type identifiers corresponding to the two networks will be inserted within the port number).

- 35. determining the gateway type and gateway communication information corresponding to the given unique identification (Paragraph 0082, Chou discloses when the voice switch 585 extracts these two bit masks; it will be able to associate each identifier to a particular network through the position from which the identifier was taken. Also see fig. 7a and 7b).
- 36. **As per claim 13**. Chou teaches the step of communicating the gateway configuration information further comprises the step of using the gateway communication information in order to communicate with the gateway (Paragraph 0062, once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).
- 37. **As per claim 14**. Chou teaches wherein the step of communicating the gateway configuration information with the gateway further comprises the step of communicating with a remote programming interface on the gateway (Paragraph 0062, once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).
- 38. **As per claim 15**. Chou teaches wherein the step of communicating the gateway configuration information with the gateway further comprises the step of sending one or more commands to the gateway in order to communicate the gateway configuration to the gateway

Art Unit: 2467

(Paragraph 0062, once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).

- 39. **As per claim 18**. Chou teaches wherein: the step of receiving gateway configuration information suitable for configuring the gateway to pass one or more content streams further comprises the step of determining one or more global ports in the gateway configuration information (Paragraph 0055, Chou discloses that four-port configuration allows the voice router to identify the direction of the packet streams between the first network gateway and the second network gateway by the port on which a packet arrives, where the packets by either be RTP or RTCP);
- 40. and the step of configuring the gateway in accordance with the gateway configuration information further comprises the step of opening the one or more global ports (Paragraph 0023, Chou discloses port numbers are assigned to create the connection on which packets will travel, once this connection is established, the voice switch is able to switch or route packets between the two gateways).
- 41. **As per claim 19**. Chou teaches the step of receiving gateway configuration information suitable for configuring the gateway to pass one or more content streams further comprises the step of determining one or more local addresses in the gateway configuration information (Paragraph 0062, Chou discloses a call set-up request contains information regarding the desired VoIP connection including destination information such as an address),
- 42. wherein a given one of the local addresses correlates to a given one of the one or more global ports (Paragraph 0062, Chou discloses that once this address translation occurs, the voice

connector creates a virtual connection between the two network gateways by assigning a port or ports on which this VoIP communication will occur);

- 43. and the step of configuring the gateway in accordance with the gateway configuration information further comprises the step of sending a content stream received on the given open port to the given local address (Paragraph 0026, Chou teaches a first gateway and a second gateway are assigned a single port number for a data stream).
- 44. **As per claim 20**. Chou teaches the step of receiving gateway configuration information suitable for configuring the gateway to pass one or more content streams further comprises the step of determining one or more local ports in the gateway configuration information (Paragraph 0062, once voice connector assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways),
- 45. wherein a given one of the local ports correlates to the local address (Paragraph 0062, Chou discloses that once this address translation occurs, the voice connector creates a virtual connection between the two network gateways by assigning a port or ports on which this VoIP communication will occur);
- 46. and the step of configuring the gateway in accordance with the gateway configuration information further comprises the step of sending a content stream received on the given open port to the given local address and the given port (Paragraph 0026, Chou teaches a first gateway and a second gateway are assigned a single port number for a data stream).
- 47. **As per claim 22**. Chou teaches wherein the step of configuring the gateway in accordance with the gateway configuration information further comprises the step of configuring a router with the gateway configuration information (Paragraph 0062, once voice connector

Application/Control Number: 10/586,702 Page 11

Art Unit: 2467

assigns ports for the gateways, this information is transmitted to the voice switch and to the network gateways).

48. **As per claim 23**. Chou teaches wherein the step of configuring the gateway in accordance with the gateway configuration information further comprises the step of configuring a firewall with the gateway configuration information (Paragraph 0063, Chou discloses firewalls or other network servers having corresponding addresses and port numbers may be included to enhance security or add other functionality within the connection).

## 49. Claim Rejections - 35 USC § 103

- 50. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
- 51. (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 52. **Claim 21** is rejected as being unpatentable over Chou as applied to claims above and further in view of Publication **2005/0076108** to Li et al. (hereinafter Li).
- As per claim 21. Chou teaches the step of receiving gateway configuration information suitable for configuring the gateway to pass one or more content streams further comprises the step of determining one or more server addresses in the gateway configuration information

Art Unit: 2467

(Paragraph 0063, Chou discloses firewalls or other network servers having corresponding addresses and port numbers may be included to enhance security or add other functionality within the connection),

- 54. wherein a given one of the server addresses correlates to a given one of the one or more global ports (Paragraph 0063, Chou discloses firewalls or other network servers having corresponding addresses and port numbers may be included);
- 55. Chou does not disclose expressly: configuring the gateway in accordance with the gateway configuration information further comprises the step of rejecting a content stream received on the given global port when a source address associated with the content stream does not match the given server address.
- 56. Li discloses in paragraph 0036 discloses Soft switch may then accept subsequent call setup messages from the NAT-translated source addresses and reject call setup messages without the dynamically learned source addresses
- 57. Li and Chou are analogous art because they are from similar fields of endeavor dealing specifically with managing gateways to establish voice and media communication.
- 58. At the time of the invention it would have been obvious to one of ordinary skill in the art to modify the system of Chou by rejecting call stream with an invalid source address as suggested by Li.
- 59. The rationale for doing so would have been to enhance security in a communication network (Paragraph 0004)
- 60. Therefore it would have been obvious to combine Li with Chou for the benefit of enhancing security to obtain the invention as specified in claim 21.

Application/Control Number: 10/586,702 Page 13

Art Unit: 2467

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Yosief Berhane whose telephone number is (571) 270-7164. The

examiner can normally be reached at 9:00-6:00 Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Pankaj Kumar can be reached at (571) 272-3011. The fax phone number for the

organization where this application or proceeding is assigned is. 571-273-8300

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/YOSIEF BERHANE/

Examiner, Art Unit 2467

/Hong Cho/

Primary Examiner, Art Unit 2467

Page 14

Art Unit: 2467